



Occupational Therapy Reference List

- Adams, R., Victor, M., & Ropper, A. (1997). *Principles of neurology* (6th ed.). New York: McGraw-Hill.
- Adams, W., & Sheslow, D. (1995). *Wide range assessment of visual motor abilities*. Wilmington, DE: Wide Range, Inc.
- American College of Sports Medicine. (2000). *ACSM's guidelines for exercise testing and prescription*. Philadelphia, PA: Lippincott Williams & Wilkins.
- American Occupational Therapy Association. (2014). Occupational therapy practice framework: Domain and process (3rd ed.). *American Journal of Occupational Therapy*, 68(Supplement 1), S1-S48.
- American Occupational Therapy Association. (2020). Occupational therapy practice framework: Domain and process (4th ed.). *American Journal of Occupational Therapy*, 74(Supplement 2), 7412410010.
- American Occupational Therapy Association. (2017). Occupational therapy's role in medication management. *American Journal of Occupational Therapy*, 71(Supplement 2), 7112410025.
- American Occupational Therapy Association. (2015). Occupational therapy's role with chronic disease management: Fact sheet [PDF].
www.aota.org/~media/Corporate/Files/AboutOT/Professionals/WhatIsOT/H/acts/FactSheet_ChronicDiseaseManagement.pdf
- American Occupational Therapy Association. (2018). Telehealth in occupational therapy. *American Journal of Occupational Therapy*, 72(Supplement 2), 7212410059.
- American Occupational Therapy Association. (1980). The role of occupational therapy in the vocational rehabilitation process. *American Journal of Occupational Therapy*, 34(12), 881-883.
- American Physical Therapy Association. (2000). *Electrotherapeutic terminology in physical therapy*. Fairfax, VA: American Physical Therapy Association.
- American Physical Therapy Association. (2014). *Guide to physical therapist practice 3.0*. Alexandria, VA: American Physical Therapy Association.
- American Society for Surgery of the Hand. (1983). *The hand: Examination and diagnosis* (2nd ed.). Edinburgh, Scotland: Churchill Livingstone.
- American Speech-Language-Hearing Association. (n.d.). *Telepractice*. ASHA Practice portal, professional issues.
www.asha.org.
- Ashburner, J., Ziviani, J., & Rodger, S. (2008). Sensory processing and classroom emotional, behavioral, and educational outcomes in children with Autism Spectrum Disorder. *American Journal of Occupational Therapy*, 62(5), 564-573.
- Ayres, A. (1979). *Sensory integration and the child*. Los Angeles, CA: Western Psychological Services.

- Baker, D., Williams, M., Parker, R., Gazmararian, J., & Nurss, J. (1999). Development of a brief test to measure functional health literacy. *Patient Education and Counseling*, 38(1), 33-42.
- Barber, L. (1990). Desensitization of the traumatized hand. In J. Hunter, L. Schneider, E. Machin, & A. Callahan (Eds.), *Rehabilitation of the Hand* (3rd ed., pp.721-730). St. Louis, MO: Mosby.
- Batavia, M. (1998). The wheelchair evaluation: A practical guide. Woodburn, MA: Butterworth Heinemann.
- Bazyk, S., & Case-Smith, J. (2010). School-based occupational therapy. In J. Case-Smith & J. O'Brien (Eds.), *Occupational Therapy for Children* (6th ed.). Maryland Heights, MO: Mosby Elsevier.
- Becker, R. (2005). Becker work adjustment profile 2: User's manual. Columbus, OH: Elbern Publications.
- Beery, K., Buktenica, N., & Beery, N. (2010). The Beery-Buktenica developmental test of visual-motor integration. Minneapolis, MN: NCS Pearson.
- Behrman, A. L., Teitelbaum, P., & Cauraugh, J. H. (1998). Verbal instructional sets to normalize the temporal and spatial gait variables in Parkinson's disease. *Journal of Neurology, Neurosurgery, and Psychiatry*, 65(4), 580-582.
- Berg, K., Wood-Dauphinee, S., Williams, J., & Gayton, D. (1989). Measuring balance in the elderly: preliminary development of an instrument. *Physiotherapy Canada*, 41(6), 304-311.
- Bergstrom, N., Braden, B., Laguzza, A., & Holman, V. (1987). The Braden scale for predicting pressure sore risk. *Nursing Research*, 36(4), 205-210.
- Biel, A. (2014). *Trail guide to the body: A hands-on guide to locating muscles, bones and more* (5th ed.). Boulder, CO: Books of Discovery.
- Bly, L. (2000). Motor skills acquisition checklist. Tucson, AZ: Therapy Skill Builders.
- Bobos, P., Lalone, E., Grewal, R., & MacDermid, J. (2018). Recovery, age, and gender effects on hand dexterity after a distal radius fracture. A 1-year prospective cohort study. *Journal of Hand Therapy*, 31(4), 465-471.
- Bohannon, R., & Smith, R. (1987). Interrater reliability of a modified Ashworth scale of muscle spasticity. *Physical Therapy*, 67(2), 206-207.
- Bondoc, S., Booth, J., Budde, G., Caruso, K., DeSousa, M., Earl, B., Hammerton, K., & Humphreys, J. (2018). Mirror therapy and task-oriented training for people with a paretic upper extremity. *American Journal of Occupational Therapy*, 72(2), 7202205080p1-7202205080p8.
- Borg, G. (1985). An introduction to Borg's RPE-Scale. Ithaca, NY: Mouvement Publications
- Borrell, R. M., Parker, R., Henley, E. J., Masley, D., & Repinecz, M. (1980). Comparison of in vivo temperatures produced by hydrotherapy, paraffin wax treatment, and Fluidotherapy®. *Physical Therapy*, 60(10), 1273-1276.
- Bracciano, A., & Bracciano, A. G. (2000). *Physical agent modalities: Theory and application for the occupational therapist*. Thorofare, NJ: SLACK Inc.

- Braveman, B., Robson, M., Velozo, C., Kielhofner, G., Fisher, G., Forsyth, K. & Kerschbaum, J. (2005). *Worker role interview* (10th ed.). Model of Human Occupation. Chicago, IL: University of Illinois at Chicago.
- Brody, L. (2012). Effective therapeutic exercise prescription: The right exercise at the right dose. *Journal of Hand Therapy*, 25(2), 220-31.
- Bruininks, R., & Bruininks, B. (2005). *Bruininks-oseretsky test of motor proficiency* (2nd ed.). Minneapolis, MN: NCS Pearson.
- Cahill, S., & Beisbier, S. (2020). Occupational therapy practice guidelines for children and youth ages 5-21 years. *American Journal of Occupational Therapy*, 74(4). 7404397010.
- Cardell, B., Swain, L. J., Burnett, A. (2013). Construct validity of the functionally simulated technology task: An exploratory study. *Occupational Therapy in Health Care*, 27(4), 345-354.
- Catz, A., Itzkovich, M., Steinberg, F., et al. (2001). The Catz-Itzkovich SCIM: A revised version of the spinal cord independence measure. *Disability and Rehabilitation*, 23(6), 263-268.
- Cheatham, S., Baker, R., & Kreiswirth, E. (2019). Instrument assisted soft-tissue mobilization: A commentary on clinical practice guidelines for rehabilitation professionals. *The International Journal of Sports Physical Therapy*, 14(4), 670-682.
- Chen, S., & Chippendale, T. (2018). Leisure as an end, not just a means, in occupational therapy intervention. *American Journal of Occupational Therapy*, 72(4), 7204347010.
- Chiu, T., Oliver, R., Ascott, P., Choo., L., Davis, T., Gaya, A., Goldsilver, P., McWhirter, M. & Letts, L. (2006). *Safety assessment of function and the environment for rehabilitation health outcome measurement and evaluation (SAFER-HOME)*, (Version 3). Toronto, ON: COTAHealth.
- Clark, G. & Kingsley, K. (2020). Occupational therapy practice guidelines for early childhood: Birth-5 years. *American Journal of Occupational Therapy*, 74(3), 7403397010.
- Clendaniel, R. (2010). The effects of habituation and gaze-stability exercises in the treatment of unilateral vestibular hypofunction: A preliminary results. *Journal of Neurologic Physical Therapy*, 34(2), 111-116.
- Colarusso, R., & Hammill, D. (2015). Motor-free visual perception test-4. Novato, CA: Academic Therapy Publications.
- Cole, M. (2018). *Group dynamics in occupational therapy: The theoretical basis and practice application of group intervention* (5th ed.). Thorofare, NJ: SLACK Inc.
- Cole, T. (1971). Goniometry: The measurement of joint motion. In F. Krusen & F. Kottke (Eds.). *Handbook of physical medicine and rehabilitation* (2nd ed. pp. 40). Philadelphia, PA: Saunders.
- Conrad, A., & Roth, W. (2007). Muscle relaxation therapy for anxiety disorders: It works but how? *Journal of Anxiety Disorders*, 21(3), 243-264.
- Cook, A., & Polgar, J. (2014). *Assistive technologies: Principles and practice* (4th ed.). Maryland Heights, MO: Mosby Elsevier.

- Cordery, J., & Rocchi, M. (1998). Joint protection and fatigue management. In J. Melvin & G. Jensen (Eds.), *Rheumatologic rehabilitation series, vol. 1: Assessment and management* (pp. 279-322). Bethesda, MD: American Occupational Therapy Association.
- Coster, W., Deeney, T., Haltiwanger, J., & Haley, S. (1998). School function assessment. San Antonio: TX: Psychological Corporation.
- Couch, R., & Ryan, K. (2000). Physical therapy and respiratory care: Integration as a team in pulmonary rehabilitation. In J. Hodgkin, R.C. Bartholome, & G. Connors (Eds.), *Pulmonary rehabilitation: Guidelines to success* (pp 173-211). Philadelphia, PA: Lippincott Williams & Wilkins.
- Cumming, R., Thomas, M., & Szonyi, G. (1999). Home visits by an occupational therapist for assessment and modification of environmental hazards: A randomized trial of falls prevention. *Journal of the American Geriatrics Society*, 47(12), 1397-1402.
- Dale, R. (2005) Proprioceptive neuromuscular facilitation for the scapula, Part 1: Diagonal 1. *Athletic Therapy Today*, 10(2), 54-56.
- DeCleen, K., Ridgway, A., Bednarski, J., Breeden, L., Mosier, G. (2013). Therapists as educators: the importance of client education in occupational therapy. *The Open Journal of Occupational Therapy*, 1(4), 5.
- Dennis, B. (1993). Acquired lymphedema: A chart review of nine women's responses to intervention. *American Journal of Occupational Therapy*, 47(10), 891-899.
- Dickerson, A., & Reistetter, T. (2008). Standardizing the RT2S brake reaction time tester. *Physical & Occupational Therapy in Geriatrics*, 27(2), 96-106.
- Dimick, M., Caro, C., Kach, M., Muenzen, P., Fullenwider, L., Taylor, P. & Walsh, J. (2009). 2008 Practice analysis study of hand therapy. *Journal of Hand Therapy*, 22(4), 361-375.
- Duncan, P., Bode, R., Min, S., & Perera, S. (2003). Rasch analysis of a new stroke-specific outcome scale: The stroke impact scale. *Archives of Physical Medicine and Rehabilitation*, 84(7), 950-963.
- Duncan, P., Studenski, S., Chandler, J., & Prescott, B. (1992). Functional reach: Predictive validity in a sample of elderly male veterans. *Journal of Gerontology*, 47(3), M93-M98.
- Dunn, W. (2014). *Sensory profile 2*. San Antonio, TX: Pearson Assessments.
- Fairchild, S., O'Shea, R., & Washington, R. (2017). *Pierson and Fairchild's principles and techniques of patient care* (6th ed.). Philadelphia, PA: Saunders.
- Farmer, N., Touchton-Leonard, K., & Ross, A. (2018). Psychosocial benefits of cooking interventions: A systematic review. *Health Education & Behavior*, 45(2), 167-180.
- Farrar, J., Young, J., LaMoreaux, L., Werth, J., & Poole, M. (2001). Clinical importance of changes in chronic pain intensity measured on an 11-point numerical pain rating scale. *Pain*, 94(2), 149-158.
- Felgoise, S., Walsh, S., Stephens, H., Brothers, A., & Simmons, Z. (2011). The ALS specific quality of life-Revised (ALSSQOL-R) User's guide (Version 1.0) [PDF]. Penn State Health. <https://www.pennstatehealth.org/sites/default/files/Neurology/ALSSQOL-%20Manual.pdf>

- Field, D. (1999). Powered mobility: A literature review illustrating the importance of a multifaceted approach. *Assistive Technology, 11*(1), 20-33.
- Fylieau, G. (2018). Vision requirements & restrictions. New York State Department of Motor Vehicles. <https://dmv.ny.gov/>.
- Finkelstein, H., (1930). Stenosing tenosynovitis at the radial styloid process. *The Journal of Bone and Joint Surgery, 12A*, 509-540.
- Fisher, A. (2012). *Assessment of motor and process skills* (8th ed.). Fort Collins, CO: Three Star Press.
- Földi, M., & Földi, E. (2012). *Földi's textbook of lymphology* (3rd ed). Munich, Germany: Elsevier, GmbH.
- Folio, M., & Fewell, R. (2000). *Peabody developmental motor scales* (2nd ed.) (PDMS-2). Austin, TX: PRO-ED, Inc.
- Fugl-Meyer, A., Jaasko, L., Leyman, I., Olson, S., & Steglind, S. (1975). The post-stroke hemiplegic patient. A method for evaluation of physical performance. *Scandinavian Journal of Rehabilitation Medicine, 7*(1), 13-31.
- Gabel, C., Michener, L., Burkett, B., & Neller, A. (2006). The upper limb functional index: Development and determination of reliability, validity, and responsiveness. *The Journal of Hand Therapy, 19*(3), 328-349.
- Gailey, R., Roach, K., Applegate, E., Cho, B., Cunniffe, B., Licht, S., Maguire, M. & Nash, M. (2002). The amputee mobility predictor: an instrument to assess determinants of the lower-limb amputee's ability to ambulate. *Archives of Physical Medicine and Rehabilitation, 83*(5), 613-627.
- Gates, D., Walters, L., Cowley, J., Wilken, J., & Resnik, L. (2016). Range of motion requirements for upper-limb activities of daily living. *The American Journal of Occupational Therapy: Official Publication of the American Occupational Therapy Association, 70*(1), 7001350010p1–7001350010p10.
- Gauthier, L., Dehaut, F., & Joanette, Y. (1989). The bells test: A quantitative and qualitative test for visual neglect. *Internal Journal of Clinical Neuropsychology, 11*(2), 49-54.
- Gokoglu, F., Fndkoglu, G., Yorgancoglu, Z., Okumus, M., Ceceli, E., & Kocaoglu, S. (2005). Evaluation of iontophoresis and local corticosteroid injection in the treatment of carpal tunnel syndrome. *American Journal of Physical Medicine & Rehabilitation, 84*(2), 92-96.
- Golisz, K. (2014). Occupational therapy and driving and community mobility for older adults. *American Journal of Occupational Therapy, 68*(6), 654-656.
- Granger, C., & McCabe, M. (1990). Content validity of a pediatric functional independence measure. *Applied Nursing Research, 3*(3), 120-121.
- Grice, K., Vogel, K., Le, V., Mitchell, A., Muniz, S., & Vollmer, M. (2003). Adult norms for a commercially available nine hole peg test for finger dexterity. *American Journal of Occupational Therapy, 57*(5), 570-573.
- Guyatt, G., Berman, L., Townsend, M., Pugsley, S., & Chambers, L. (1987). A measure of quality of life for clinical trials in chronic lung disease. *Thorax, 42*(10), 773-778.
- Hackney, M.E., Kantorovich, S., Levin, R., & Earhart, G.M. (2007). Effects of tango on functional mobility in Parkinson's disease: A preliminary study. *Journal of Neurologic Physical Therapy, 31*(4), 173-179.

- Hall, C., & Brody, L. (2005). *Therapeutic exercise: Moving toward function* (2nd ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Hammill, D., Pearson, N., & Voress, J. (2014). *Developmental test of visual perception* (3rd ed.). Austin, TX: Pro-Ed.
- Hartman-Maeir, A., Harel, H., et al. (2009). Kettle test--A brief measure of cognitive functional performance: Reliability and validity in stroke rehabilitation. *American Journal of Occupational Therapy*, 63(5), 592-599.
- Hasselkus, B., & Murray, B. (2007). Everyday occupation, well-being, and identity: The experience of caregivers in families with dementia. *American Journal of Occupational Therapy*, 61(1), 9-20.
- Haun, J., Luther, S., Dodd, V., & Donaldson, P. (2012). Measurement variation across health literacy assessments: Implications for assessment selection in research and practice. *Journal of Health Communication*, 17(Sup 3), 141-159.
- Helm-Estabrooks, N. (2017). *Cognitive linguistic quick test (CLQT+)*. San Antonio, TX: Pearson Assessments.
- Hogikyan, N., & Sethurama, G. (1999). Validation of an instrument to measure voice-related quality of life (V-RQOL). *Journal of Voice*, 13(4), 557-69.
- Holm, M., & Rogers, J. (1999). Performance assessment of self-care skills. In B.J. Hemphill-Pearson (Ed.), *Assessments in occupational therapy mental health: An integrative approach* (pp. 117-124). Thorofare, NJ: SLACK Inc.
- Huskisson, E. (1974). Measurement of pain. *The Lancet*, 304(7889), 1127-1131.
- Interprofessional Education Collaborative. (2016). Core competencies for interprofessional collaborative practice: 2016 update. [PDF file] Washington, DC: Interprofessional Education Collaborative. Last accessed February 2, 2021: <https://hsc.unm.edu/ipe/resources/ipec-2016-core-competencies.pdf>
- Jacobs, M. & Austin, N. (2014). *Hand and upper extremity splinting principles and process* (2nd ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Jaffe, L., Humphry, R., & Case-Smith, J. (2010). Application of motor control/Motor learning to practice. In J. Case-Smith & J. O'Brien (Eds.), *Occupational therapy for children* (6th ed.). Maryland Heights, MO: Mosby Elsevier.
- Jette, D., Stilphen, M., Ranganathan, V., Passek, S., Frost, F., & Jette, A. (2014). AM-PAC "6-Clicks" functional assessment scores predict acute care hospital discharge destination. *Physical Therapy*, 94(9), 1252-1261.
- Juckett, L., & Robinson, M. (2019). The occupational therapy approach to addressing food insecurity among older adults with chronic disease. *Geriatrics*, 4(1), 22.
- Kaskutas, V. (2017). Evaluation of muscle strength. In H.M. Pendleton & W Schultz-Krohn (Eds.) *Pedretti's Occupational Therapy for Physical Dysfunction*, 8th Ed. St. Louis, MO: Elsevier.
- Katz, N., Parush, S., & Traub Bar-Ilan, R. (2005). *The dynamic occupational therapy cognitive assessment for children manual*. Pequannock, NJ: Maddak.

- Keith, R., Granger, C., Hamilton, B., & Sherwin, F. (1987). The functional independence measure: A new tool for rehabilitation. In M. Eisenberg & R. Grzesiak (Eds), *Advances in clinical rehabilitation* (pp. 6-18). New York: Springer Publishing.
- Kellor, M., Frost, J., Silberberg, N., Iversen, I., & Cummings, R. (1971). Hand strength and dexterity. *American Journal of Occupational Therapy*, 25(2), 77-83.
- Kennedy, C., Beaton, D., Solway, S., McConnell, S., & Bombardier, C. (2011) The DASH and quick DASH outcome measure user's manual (3rd Edition). Toronto, ON, Canada: Institute for Work & Health.
- Kertesz, A. (2006). *Western aphasia battery-revised* (WAB-R). San Antonio, TX: Pearson Assessments.
- Kisner, C., Colby, L., & Borstad, J. (2017). *Therapeutic exercise: Foundations and techniques*. Philadelphia, PA: F.A. Davis.
- Kolakowsky-Hayner, S. (2010). The Patient Competency Rating Scale. The Center for Outcome Measurement in Brain Injury. Last accessed February 1, 2021: <http://www.tbims.org/combi/pcrs>
- Kluding, P., Swafford, B., Cagle, P., & Gajewski, B. (2006). Reliability, responsiveness, and validity of the Kansas University standing balance scale. *Journal of Geriatric Physical Therapy*, 29(3), 93-99.
- Kramer, J., ten Velden, M., Kafkes, A., et al. (2014). Child occupational self-assessment (COSA), Version 2.2. Model of Human Occupation Clearinghouse, Department of Occupational Therapy, College of Applied Health Sciences. Chicago, IL: University of Illinois at Chicago and UIC Board of Trustees.
- Kroenke, K., Spitzer, R., & Williams, J. (2003). The patient health questionnaire-2: Validity of a two-item depression screener. *Medical Care*, 41(11), 1284-1292.
- Lambert, N., Nihira, K., & Leland, H. (1993). *AAMR adaptive behavior scale--School* (2nd ed.). Austin, TX: Pro-Ed.
- Law, M., Baptiste, S., McColl, M., Opzoomer, A., Polatajko, H., & Pollack, N. (1990). The Canadian occupational performance measure: an outcome measure for occupational performance therapy. *Canadian Journal of Occupational Therapy*, 57(2), 82-87.
- Lawton, M., & Brody, E. (1969). Assessment of older people: self-maintaining and instrumental activities of daily living. *The Gerontologist*, 9(3), 179-186.
- Lee, S., Cho, S., & Kim, K. (2013). The effects of weight-bearing exercise on upper extremity activities performance in the female stroke patients. *International Journal of Contents*, 9(1), 65-70.
- Lusardi, M. (2004). Functional performance in community living older adults. *Journal of Geriatric Physical Therapy*, 26(3), 14-22.
- Ma, H., & Trombly, C. A. (2001). The comparison of motor performance between part and whole tasks in elderly persons. *American Journal of Occupational Therapy*, 55(1), 62-67.
- Ma, S., Je, H., Jeong, J., Him, H., & Kim, H. (2013). Effects of whole-body cryotherapy in the management of adhesive capsulitis of the shoulder. *Archives of Physical Medicine and Rehabilitation*, 94(1), 9-16.
- Magee, D. (2008). *Orthopedic physical assessment* (5th ed.). St. Louis, MO: Saunders Elsevier.

- Mahoney F., & Barthel, D. (1965). Functional evaluation: the Barthel index. *Maryland State Medical Journal*, 14, 61-65.
- Mahony, G., Haracz, K., & Williams, L. (2012). How mental health occupational therapists address issues of diet with their clients: A qualitative study. *Australian Occupational Therapy Journal*, 59(4), 294-301.
- Mann, G. (2002). *MASA: The Mann assessment of swallowing ability* (1st ed.). Clifton Park, NY: Singular.
- Manly, T., Anderson, V., Crawford, J., George, M., & Robertson, I. (2016) *Test of everyday attention for children, Second edition* (TEA-Ch2). London, UK: Pearson Education Ltd.
- Marottoli, R., Cooney, L., Wagner, R., Doucette, J., & Tinetti, M. (1994). Predictors of automobile crashes and moving violations among elderly drivers. *Annals of Internal Medicine*, 121(11), 842-846.
- Martin, J. (1967). *The basal ganglia and posture*. Philadelphia, PA: J.B. Lippencott.
- Martin, N. (2017). *Test of visual perceptual skills-4*. Novato, CA: Academic Therapy Publications.
- Masgutova, S., Akhmatova, N., Sadowska, L., Shackleford, P., & Akhmatov, E. (2016). Neurosensorimotor reflex integration for autism: A new therapy modality paradigm. *Journal of Pediatric Neurological Disorders*, 2(107), 1000107p1-1000107p12.
- Mathiowetz, V., Weber, K., Kashman, N., & Volland, G. (1985). Adult norms for the nine hole peg test of finger dexterity. *The Occupational Therapy Journal of Research*, 5(1), 24-38.
- Mathiowetz, V., Kashman, N., Volland, G., et al. (1985). Grip and pinch strength: Normative data for adults. *Archives of Physical Medicine and Rehabilitation*, 66(2), 69-74.
- Miller, L. (2013). *Goal-oriented assessment of life skills (GOAL)*. Los Angeles: Western Psychological Services.
- Mooney, V. (1998). Overuse syndromes of the upper extremity: Rational and effective treatment. *Journal of Musculoskeletal Medicine*, 15, 11-18.
- Mulligan, S. (2013). *Occupational therapy evaluation for children: A pocket guide* (2nd ed.) Philadelphia, PA: Lippincott Williams & Wilkins.
- Nasreddine, Z. (1996). *Montreal cognitive assessment (MoCA)*. Quebec, Canada: MoCA Test, Inc.
- Newman, C., Weinstein, B., Jacobson, G., & Hug, G. (1991). Test-retest reliability of the hearing handicap inventory for adults. *Ear Hear*, 12(5), 355-357.
- Nowicki, S., & Strickland, B. (1973). A locus of control scale for children. *Journal of Consulting and Clinical Psychology*, 40(1), 148-154.
- O'Brien, J., & Kuhaneck, H. (2020). *Case-Smith's occupational therapy for children and adolescents*. Maryland Heights, MO: Mosby.
- O'Brien, J., & Williams, H. (2010). Application of motor control/Motor learning to practice. In J. Case-Smith & J. O'Brien (Eds.), *Occupational Therapy for Children* (6th ed.). Maryland Heights, MO: Mosby Elsevier.
- O'Sullivan, S., Schmitz, T., & Fulk, G. (2014). *Physical rehabilitation* (6th ed.) Philadelphia, PA: F.A. Davis Co.

- Padilla, R., & Domina, A. (2016). Effectiveness of sensory stimulation to improve arousal and alertness of people in a coma or persistent vegetative state after traumatic brain injury: A systematic review. *American Journal of Occupational Therapy*, 70(3), 7003180030p1-7003180030p8.
- Parham, D., Ecker, C., Kuhaneck, H., Henry, D., & Glennon, T. (2010). *Sensory processing measure-- Preschool (SPM-P)*. Torrance, CA: West Psychological Services.
- Parkington, J., & Leiter, R. (1949). Partington's pathway test. *The Psychological Service Center Journal*, 1, 11-20.
- Pendleton, H., & Schultz-Krohn, W. (Eds.). (2018). Pedretti's occupational therapy: Practice skills for physical dysfunction (8th ed.). St. Louis, MO: Mosby Elsevier.
- Penfold, S. (1996). The role of the occupational therapist in oncology. *Cancer Treat Review*, 22(1), 75-81.
- Peto, V., Jenkinson, C., Fitzpatrick, R., & Greenhall, R. (1995). The development and validation of a short measure of functioning and well-being for individuals with Parkinson's disease. *Quality of Life Research*, 4(3), 241-248.
- Podsiadlo, D., & Richardson, S. (1991). The timed "Up & Go": A test of basic functional mobility for frail elderly persons. *Journal of the American Geriatric Society*, 29(2), 142-148.
- Powell, L., & Myers, A. (1995). The activities-specific balance confidence (ABC) scale. *Journal of Gerontology: Medical Sciences*, 50A(1), M28-M34.
- Precin, P. (2018). Effectiveness of the living skills recovery curriculum for dual diagnosis clients. *American Journal of Occupational Therapy*, 72(4_Supplement_1), 7211520332p1.
- Prigatano, G. P., Fordyce, D., Zeiner, H., Roueche, J., Pepping, M., & Wood, B. (1986). *Neuropsychological rehabilitation after brain injury*. Baltimore, MD: Johns Hopkins University Press.
- Radomski, M., & Trombly, C. (2013). *Occupational therapy for physical dysfunction* (7th ed.). Philadelphia, PA: Lippincott Williams & Wilkins.
- Rankin, J., Robb, K., Murtagh, N., Cooper, J., & Lewis, S. (Eds.). (2008). *Rehabilitation in cancer care*. Oxford, UK: Blackwell Publishing Ltd.
- Rausch, S., Gramling, S., & Auerbach, S. (2006). Effects of a single session of large-group meditation and progressive muscle relaxation training on stress reduction, reactivity, and recovery. *International Journal of Stress Management*, 13(3), 273-290.
- Roach, K., Budiman-Mak, E., Songsiridej, N., & Lertratanakul, Y. (1991). Development of a shoulder pain and disability index. *Arthritis Care & Research*, 4(4), 143-149.
- Rogers, J., Holm, M., & Chisolm, D. (2016). Performance assessment of self-care skills (PASS) Version 4.1. Pittsburgh, PA: University of Pittsburgh. Last accessed February 9, 2021: <https://www.shrs.pitt.edu/ot/about/performance-assessment-self-care-skills-pass>
- Roll, K., & Roll, W. (2013). *The role evaluation of activities of life (REAL™)*. San Antonio, TX: NCS Pearson.
- Rozmaryn, L., Dovelle, S., Rothman, E., Gorman, K., Olvey, K., & Bartko, J. (1998). Nerve and tendon gliding exercises and the conservative management of carpal tunnel syndrome. *Journal of Hand Therapy*, 11(3), 171-179.

- Salter, R. (1999). *Textbook of disorders and injuries of the musculoskeletal system* (3rd ed.). Baltimore, MD: Williams & Wilkins.
- Scheiman, M. (2002). *Understanding and managing vision deficits: A guide for occupational therapists* (2nd ed.). Thorofare, NJ: SLACK, Inc.
- Schuberth, L., Amirault, L., & Case-Smith, J. (2010). Feeding intervention. In J. Case-Smith & J. O'Brien (Eds.), *Occupational therapy for children* (6th ed. pp. 446-473). Maryland Heights, MO: Mosby Elsevier.
- Shah, S., Vanclay, F., & Cooper, B. (1989). Improving the sensitivity of the barthel index for stroke rehabilitation. *Journal of Clinical Epidemiology*, 42(8), 703-709.
- Shepherd, J. (2010). Activities of daily living. In J. Case-Smith & J. O'Brien (Eds.), *Occupational therapy for children* (6th ed. pp. 474-517). Maryland Heights, MO: Mosby Elsevier.
- Shurtleff, T., & Kaskutas, V. (2018). Joint range of motion. In H. Pendleton & W. Schultz-Krohn (Eds.). *Pedretti's occupational therapy: Practice skills for physical dysfunction* (8th ed.) (pp. 477-511). St. Louis, MO: Elsevier.
- Spencer, K., & O'Daniel, S. (2005). Transition services: From school to adult life. In J. Case Smith (Ed.), *Occupational therapy for children* (5th ed.). Maryland Heights, MO: Mosby Elsevier.
- Snodgrass, J. & Amini, D. (2017). Occupational therapy practice guidelines for adults with musculoskeletal conditions. [Ebook]. Bethesda, MD: AOTA Press.
- Strauch, B., & Lang, A. (2003). The ten test revisited. *Plastic & Reconstructive Surgery*, 112(2), 593-594.
- Strauch, B., Lang, A., Ferder, M., Keyes-Ford, M., Freeman, K. & Newstein, D. (1997). The ten test. *Plastic & Reconstructive Surgery*, 99(4), 1074-1078.
- Sussman, C., & Bates-Jensen, B. (2007). *Wound care: A collaborative practice manual*. Philadelphia, PA: Lippincott Williams & Wilkins.
- Sutton, G., & Bartel, M. (1994). Soft-tissue mobilization techniques for the hand therapist. *Journal of Hand Therapy*, 7(3), 185-192.
- Tariq, S., Tumosa, N., Chibnall, J., Perry, H., & Morley, J. (2006). Comparison of the Saint Louis University mental status examination and the mini-mental state examination for detecting dementia and mild neurocognitive disorder--A pilot study. *American Journal of Geriatric Psychiatry*, 14(11), 900-910.
- Taylor, R. (2008) *The intentional relationship: Occupational therapy and use of self*. Philadelphia, PA: F.A. Davis Company.
- Teasdale, G., & Jennett, B. (1974). Assessment of coma and impaired consciousness. A practical scale. *The Lancet*, 2(7872), 81-84.
- The Consortium of Multiple Sclerosis Centers Health Services Research Subcommittee. (1997). *MSQLI Multiple Sclerosis Quality of Life Inventory: A user's manual*. New York: National Multiple Sclerosis Society.
- Tinel, J. (1978) The tingling sign in peripheral nerve lesion. In M. Spinner (Ed.), *Injuries to major branches of peripheral nerves of the forearm*, (2nd ed., pp 8-13). Philadelphia, PA: WD Saunders.

- Tomchek, S., & Koenig, K. (2016). Occupational therapy practice guidelines for individuals with autism spectrum disorder. [Ebook]. Bethesda, MD: AOTA Press.
- Uhlig, P., Doll, J., Brandon, K., Goodman, C., Medado-Ramirez, J., Barnes, M., Dolansky, M., Ratcliffe, T., Kornsawad, K., Raboin, W., Hitzeman, M., Brown, J., & Hall, L. (2018). Interprofessional practice and education in clinical learning environments: Frontlines perspective. *Academic Medicine: Journal of the Association of American Medical Colleges*, 93(10), 1441-1444.
- Uniform Data System for Medical Rehabilitation. (1993). The WeeFIM instrument. Buffalo, NY: UDSMR.
- United States, Department of Agriculture, Center for Nutrition Policy and Promotion. (2016). *MyPlate, MyWins* mini poster. Last accessed February 2, 2021: https://choosemyplate-prod.azureedge.net/sites/default/files/tentips/mini_poster_0.pdf
- University of Utah College of Health. (2020). The functional simulated technology tasks (FSTT). Last accessed February 2, 2021: <http://www.otiadl.net>
- Unsworth, C., Pallant, J., Russell, K., & Odell, M. (2011). *OT-DORA battery: Occupational therapy driver off-road assessment battery*. Bethesda, MD: AOTA Press.
- Unsworth, C., Pallant, J., Russel, K. et al. (2010). Validation of a test of road law and road craft knowledge with older or functionally impaired drivers. *American Journal of Occupational Therapy*, 64, 306-315.
- von der Heyde, R. (2011). Occupational therapy interventions for shoulder conditions: A systematic review. *Journal of Occupational Therapy*, 65(1), 16-23.
- Voss, D., Ionta, M., & Myers, B. (1985). *Proprioceptive neuromuscular facilitation: Patterns & techniques* (3rd ed.). New York: Harper & Row.
- Warren, M. (1996). *The brain injury visual assessment battery for adults* (biVABA). [PDF] Lawrence, KS: visABILITIES Rehab Services.
- Weinstein, S. (1993). Fifty years of somatosensory research: From the Semmes-Weinstein monofilaments to the Weinstein enhanced sensory test. *Journal of Hand Therapy*, 6(1), 11-22.
- Weiss, B., Mays, M., Martz, W., Castro, K., DeWalt, D., Pignone, M., Mockbee, J., & Hale, F. (2005). Quick assessment of literacy in primary care: The newest vital sign. *Annals of Family Medicine*, 3(6), 514-522.
- Williams, A., Sokol-McKay, D., Bartos, B., Chynoweth, M., Gerwitz, A., Kleinbeck, C., et al. (2009). Disabilities position statement of the American Association of Diabetes Educators. *Diabetes Educator*, 35(1), 41-44.
- Williams, L., Magin, P., Sultana, J., & Haracz, K. (2016). The role of occupational therapists in the provision of dietary interventions for people with severe mental illness: Results from a national survey. *British Journal of Occupational Therapy*, 79(7), 442-449.
- Winward, C., Halligan, P., & Wade, D. (2002). *Rivermead assessment of somatosensory performance*. Suffolk, England: Thames Valley Test Company Limited.
- Wong, M. (2010). *Pocket orthopaedics evidence-based survival guide*. Sudbury, MA: Jones and Bartlett.

World Confederation for Physiotherapy & International Network of Physiotherapy Regulatory Authorities. (2019). WCPT/INPTRA digital practice final report (version 7). [White paper]. Digital Physical Therapy Task Force. Last accessed February 2, 2021:
http://www.inptra.org/portals/0/pdfs/ReportOfTheWCPTINPTRA_DigitalPhysicalTherapyPractice_TaskForce.pdf

Young, S. (2016). *See, hear, feel: An introduction* (Draft in Progress). [PDF]. Last accessed February 5, 2021:
https://www.shinzen.org/wp-content/uploads/2016/08/SeeHearFeelIntroduction_ver1.8.pdf

Zuther, J., Armer, J., & Norton, S. (2013). *Lymphedema management: The comprehensive guide for practitioners*. Stuttgart, Germany: Thieme.